



221520340350



LQ-HJ2505-0

检测报告

报告编号 (Report ID): RHW20250532-3

委托单位 招远市招金金合科技有限公司

项目名称 地下水检测 (张星厂区)

报告日期 2025 年 05 月 15 日



烟台鲁东分析测试有限公司

Yantai Lu Dong Testing Co., Ltd.



检测报告

报告编号: RHW20250532-3

第 1 页 共 3 页

委托单位	招远市招金金合科技有限公司		
受检单位	招远市招金金合科技有限公司		
受检单位地址	山东省烟台市招远市张星镇北里庄村东		
委托人	王福林	联系方式	15552248891

编制:

高磊

审核:

张丽娜

批准:

王福林

签发日期: 2025年05月15日

检测专用章

检测报告

报告编号: RHW20250532-3

第 2 页 共 3 页

一、检测方法、依据及使用仪器

检测类别	检测项目	检测方法	检测依据	仪器名称	检出限
地下水	pH	水质 pH 值的测定 电极法	HJ 1147-2020	pH 计	/
	溶解性总固体	生活饮用水标准检验方法 第 4 部分:感官性状和物理指标(11.1)称量法	GB/T 5750.4-2023	电子天平	4 mg/L
	氯化物	水质 无机阴离子(F^- 、 Cl^- 、 NO_2^- 、 Br^- 、 NO_3^- 、 PO_4^{3-} 、 SO_3^{2-} 、 SO_4^{2-})的测定 离子色谱法	HJ 84-2016	离子色谱仪	0.007 mg/L
	硝酸盐				0.016 mg/L
	硫酸盐				0.018 mg/L
	高锰酸盐指数	生活饮用水标准检验方法 第 7 部分:有机物综合指标(4.1)酸性高锰酸钾滴定法	GB/T 5750.7-2023	滴定管	0.05 mg/L
	亚硝酸盐	生活饮用水标准检验方法 第 5 部分:无机非金属指标(12.1)重氮偶合分光光度法	GB/T 5750.5-2023	分光光度计	0.001 mg/L
	氨氮	水质 氨氮的测定 纳氏试剂分光光度法	HJ 535-2009	分光光度计	0.025 mg/L
	氟化物	水质 氟化物的测定 离子选择电极法	GB/T 7484-1987	氟离子计	0.05 mg/L
	氰化物	生活饮用水标准检验方法 第 5 部分:无机非金属指标(7.1)异烟酸-吡唑啉酮分光光度法	GB/T 5750.5-2023	分光光度计	0.002 mg/L
	铬(六价)	生活饮用水标准检验方法 第 6 部分:金属和类金属指标(13.1)二苯碳酰二肼分光光度法	GB/T 5750.6-2023	分光光度计	0.004 mg/L
	砷	水质 汞、砷、硒、铋和锑的测定 原子荧光法	HJ 694-2014	原子荧光光度计	0.3 μ g/L
	汞				0.04 μ g/L
	铁	水质 铁、锰的测定 火焰原子吸收分光光度法	GB/T 11911-1989	火焰原子吸收分光光度计	0.03 mg/L
	锰				0.01 mg/L
	铜	水质 铜、锌、铅、镉的测定 原子吸收分光光度法	GB/T 7475-1987	火焰原子吸收分光光度计	0.05 mg/L
	锌				0.05 mg/L
	铅	生活饮用水标准检验方法 第 6 部分:金属和类金属指标(14.1)无火焰原子吸收分光光度法	GB/T 5750.6-2023	石墨炉原子吸收分光光度计	2.5 μ g/L
	镉	生活饮用水标准检验方法 第 6 部分:金属和类金属指标(12.1)无火焰原子吸收分光光度法			0.5 μ g/L
	镍	生活饮用水标准检验方法 第 6 部分:金属和类金属指标(18.1)无火焰原子吸收分光光度法			5 μ g/L
	挥发酚	水质 挥发酚的测定 4-氨基安替比林分光光度法	HJ 503-2009	分光光度计	0.0003 mg/L
	石油类	水质 石油类的测定 紫外分光光度法(试行)	HJ 970-2018	分光光度计	0.01 mg/L

检测报告

报告编号: RHW20250532-3

第 3 页 共 3 页

二、检测结果

采样日期	2025.05.14		检测日期	2025.05.14~2025.05.15	
样品描述	均为无色、无味、无浮油液体				
检测项目	采样点位及检测结果（mg/L）				
	3300m³事故池 北侧监测井	锅炉房北侧监 测井	西大墙外回水 池	检测中心监测 井	脱硫北侧监测 井
pH（无量纲）	8.0	7.7	6.9	7.5	7.7
溶解性总固体	368	603	593	689	703
氯化物	59.8	77.1	183	51.3	43.6
硝酸盐	0.707	0.637	1.19	1.13	0.659
硫酸盐	9.99	67.2	154	231	181
高锰酸盐指数	0.96	1.03	2.32	0.72	0.88
亚硝酸盐	0.002	0.002	0.002	0.001	0.005
氨氮	0.393	0.034	0.087	0.078	0.444
氟化物	0.94	0.80	0.36	0.83	0.71
氰化物	ND	ND	ND	ND	ND
六价铬	ND	ND	ND	ND	ND
砷	0.0030	0.0030	ND	ND	0.0007
汞	ND	ND	ND	ND	ND
铁	ND	ND	ND	ND	ND
锰	ND	ND	ND	ND	0.09
铜	ND	ND	ND	ND	ND
锌	ND	ND	ND	ND	ND
铅	ND	ND	ND	ND	ND
镉	ND	ND	ND	ND	ND
镍	ND	ND	ND	ND	ND
挥发酚	ND	ND	ND	ND	ND
石油类	ND	ND	ND	ND	ND
备注	“ND”表示未检出				

*****本报告结束*****

报 告 说 明

Test Report Statement

1. 报告未加盖本公司“检验检测专用章”、骑缝章无效。
The Report is invalid without special seal of inspection.
2. 报告无编制人、审核人、批准人签字无效。
The Report is invalid without the approver's signatures.
3. 报告部分复制、私自转让、盗用、冒用、涂改或以其它形式篡改的均属无效。
Any unauthorized reproduce in part, piracy, alteration, forgery or falsification of the content is unlawful.
4. 报告未经同意，不得用于广告宣传。
The report can not be used for advertising without consent.
5. 委托检测仅对所送样品检测结果负责。委托单位对样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。
The test result is only responsible for the sample delivered or sent by the client. The applicant should undertake the responsibility for the provided sample's representativeness and document authenticity. Otherwise, LuDong has not any relevant responsibilities.
6. 委托单位对检测报告如有异议，请于收到报告之日起十五日之内以书面形式向本公司提出，逾期不予受理。
If the applicant has any questions about the results, shall provide a written application to LuDong within fifteen days after the report reaches the client. Otherwise it is not accepted.
7. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
LuDong assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.



烟台鲁东分析测试有限公司

地址(ADD): 山东省烟台市招远市横掌路6号

邮编(ZIP): 265400

电话(TEL): 0535-8138036

传真(FAX): 0535-8138036